

Huntingdonshire

District



This profile was produced on 12 August 2014

Health Profile 2014

Health in summary

The health of people in Huntingdonshire is varied compared with the England average. Deprivation is lower than average, however about 12.3% (3,800) children live in poverty. Life expectancy for both men and women is higher than the England average.

Living longer

Life expectancy is 6.1 years lower for men in the most deprived areas of Huntingdonshire than in the least deprived areas.

Child health

In Year 6, 17.1% (280) of children are classified as obese. The rate of alcohol-specific hospital stays among those under 18 was 32.7*. This represents 12 stays per year. Levels of GCSE attainment are worse than the England average. Levels of teenage pregnancy and breastfeeding are better than the England average.


Adult health

In 2012, 25.7% of adults are classified as obese. The rate of alcohol related harm hospital stays was 620*. This represents 1,027 stays per year. The rate of self-harm hospital stays was 180.0*. This represents 310 stays per year. The rate of smoking related deaths was 248*, better than the average for England. This represents 215 deaths per year. Estimated levels of adult excess weight are worse than the England average. Estimated levels of adult physical activity are better than the England average. The rate of people killed and seriously injured on roads is worse than average. Rates of sexually transmitted infections and TB are better than average. Rates of violent crime, long term unemployment, drug misuse and early deaths from cardiovascular diseases are better than average.

Local priorities

Local priorities include addressing inequalities in health, planning in partnership to meet the needs of an ageing population and long term prevention of ill health across all age ranges. For more information see www.cambridgeshireinsight.org.uk and www.cambridgeshire.gov.uk

* rate per 100,000 population



© Crown Copyright and database rights 2014, Ordnance Survey 100016969 OpenStreetMap contributors ODbL

Population: 171,000

Mid-2012 population estimate. Source: Office for National Statistics.

This profile gives a picture of people's health in Huntingdonshire. It is designed to help local government and health services understand their community's needs, so that they can work to improve people's health and reduce health inequalities.

Visit www.healthprofiles.info


or scan this Quick Response code: for more profiles, more information and interactive maps and tools.




Follow @healthprofiles on Twitter

Deprivation: a national view

The map shows differences in deprivation levels in this area based on national quintiles (fifths) of the Index of Multiple Deprivation 2010 by Lower Super Output Area. The darkest coloured areas are some of the most deprived areas in England.




This chart shows the percentage of the population in England and this area who live in each of these quintiles.




Life Expectancy: inequalities in this local authority

The charts below show life expectancy for men and women in this local authority for 2010-2012. Each chart is divided into deciles (tenths) by deprivation, from the most deprived decile on the left of the chart to the least deprived decile on the right. The steepness of the slope represents the inequality in life expectancy that is related to deprivation in this local area. If there were no inequality in life expectancy as a result of deprivation, the line would be horizontal.

Life Expectancy Gap for Men: 6.1 years




Life Expectancy Gap for Women: 3.6 years




Health inequalities: changes over time

These charts provide a comparison of the changes in early death rates (in people under 75) between this area and all of England. Early deaths from all causes also show the differences between the most and least deprived quintile in this area. (Data points are the midpoints of 3 year averages of annual rates, for example 2005 represents the period 2004 to 2006).



Health inequalities: ethnicity

Percentage of hospital admissions that were emergencies, by ethnic group



Health Summary for Huntingdonshire

The chart below shows how the health of people in this area compares with the rest of England. This area's result for each indicator is shown as a circle. The average rate for England is shown by the black line, which is always at the centre of the chart. The range of results for all local areas in England is shown as a grey bar. A red circle means that this area is significantly worse than England for that indicator; however, a green circle may still indicate an important public health problem.

Page						Regional a	verage^	England Average	
Percentage Per						•			
2 Children in poverty (under 16s) 3,795 12.3 20.6 43.6 6.4 3 Statutory homelessness 190 2.6 2.4 11.4 0.00 4 GCSE achieved (5A*C linc. Eng & Maths) 991 55.3 60.8 38.1	Domain	n Indicator			Eng			Percentile	Eng
Second S	Our communities	1 Deprivation	0	0.0	20.4	83.8			0.0
Second S		2 Children in poverty (under 16s)	3,795	12.3	20.6	43.6			6.4
Second S		3 Statutory homelessness	190	2.6	2.4	11.4			0.0
Second S		4 GCSE achieved (5A*-C inc. Eng & Maths)	991	55.3	60.8	38.1			81.9
Second Part		5 Violent crime (violence offences)	1,041	6.1	10.6	27.1			3.3
Second S		6 Long term unemployment	396	3.6	9.9	32.6			1.3
11 Under 18 conceptions 46 14.6 27.7 52.0 8.8 12 Smoking prevalence n/a 18.2 19.5 30.1	Children's and young people's health	7 Smoking status at time of delivery	263	13.0	12.7	30.8			2.3
11 Under 18 conceptions 46 14.6 27.7 52.0 8.8 12 Smoking prevalence n/a 18.2 19.5 30.1		8 Breastfeeding initiation	1,611	79.6	73.9	40.8			94.7
11 Under 18 conceptions 46 14.6 27.7 52.0 8.8 12 Smoking prevalence n/a 18.2 19.5 30.1		9 Obese children (Year 6)	280	17.1	18.9	27.3		0	10.1
11 Under 18 conceptions 46 14.6 27.7 52.0 8.8 12 Smoking prevalence n/a 18.2 19.5 30.1		10 Alcohol-specific hospital stays (under 18)	12	32.7	44.9	126.7			11.9
13 Percentage of physically active adults n/a 62.2 56.0 43.8		11 Under 18 conceptions	46	14.6	27.7	52.0			8.8
16 Incidence of malignant melanoma 33 18.1 14.8 31.8 3.6 17 Hospital stays for self-harm 310 180.0 188.0 596.0 50.4 18 Hospital stays for alcohol related harm 1,027 620 637 1,121 365 19 Drug misuse 469 4.2 8.6 26.3 0.8 20 Recorded diabetes 8,097 5.8 6.0 8.7 0.0 3.5 21 Incidence of TB 6 3.5 15.1 112.3 0.0 0.0 22 Acute sexually transmitted infections 1,032 607 804 3,210 0.0 162 23 Hip fractures in people aged 65 and over 169 589 568 828 0.0 403 24 Excess winter deaths (three year) 50 12.5 16.5 32.1 0.0 82.9 26 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.0 72 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 37.4 31 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 37.4 31 Under 75 mortality rate: cardiovascular 198 137 146 213 0.0 160 160 160 160 160 160 160 160 160 16	Adults' health and lifestyle	12 Smoking prevalence	n/a	18.2	19.5	30.1			8.4
16 Incidence of malignant melanoma 33 18.1 14.8 31.8 3.6 17 Hospital stays for self-harm 310 180.0 188.0 596.0 50.4 18 Hospital stays for alcohol related harm 1,027 620 637 1,121 365 19 Drug misuse 469 4.2 8.6 26.3 0.8 20 Recorded diabetes 8,097 5.8 6.0 8.7 0.0 3.5 21 Incidence of TB 6 3.5 15.1 112.3 0.0 0.0 22 Acute sexually transmitted infections 1,032 607 804 3,210 0.0 162 23 Hip fractures in people aged 65 and over 169 589 568 828 0.0 403 24 Excess winter deaths (three year) 50 12.5 16.5 32.1 0.0 82.9 26 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.0 72 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 37.4 31 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 37.4 31 Under 75 mortality rate: cardiovascular 198 137 146 213 0.0 160 160 160 160 160 160 160 160 160 16		13 Percentage of physically active adults	n/a	62.2	56.0	43.8			68.5
16 Incidence of malignant melanoma 33 18.1 14.8 31.8 3.6 17 Hospital stays for self-harm 310 180.0 188.0 596.0 50.4 18 Hospital stays for alcohol related harm 1,027 620 637 1,121 365 19 Drug misuse 469 4.2 8.6 26.3 0.8 20 Recorded diabetes 8,097 5.8 6.0 8.7 0.0 3.5 21 Incidence of TB 6 3.5 15.1 112.3 0.0 0.0 22 Acute sexually transmitted infections 1,032 607 804 3,210 0.0 162 23 Hip fractures in people aged 65 and over 169 589 568 828 0.0 403 24 Excess winter deaths (three year) 50 12.5 16.5 32.1 0.0 82.9 26 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.0 72 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 37.4 31 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 37.4 31 Under 75 mortality rate: cardiovascular 198 137 146 213 0.0 160 160 160 160 160 160 160 160 160 16		14 Obese adults	n/a	25.7	23.0	35.2		0	11.2
17 Hospital stays for self-harm 310 180.0 188.0 596.0 50.4		15 Excess weight in adults	303	69.1	63.8	75.9			45.9
18 Hospital stays for alcohol related harm	Disease and poor health	16 Incidence of malignant melanoma	33	18.1	14.8	31.8		○ ♦	3.6
23 Hip fractures in people aged 65 and over 169 589 568 828 403 24 Excess winter deaths (three year) 50 12.5 16.5 32.1 50 -3.0 25 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.7 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106		17 Hospital stays for self-harm	310	180.0	188.0	596.0		\Q	50.4
23 Hip fractures in people aged 65 and over 169 589 568 828 403 24 Excess winter deaths (three year) 50 12.5 16.5 32.1 50 -3.0 25 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.7 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106		18 Hospital stays for alcohol related harm	1,027	620	637	1,121			365
23 Hip fractures in people aged 65 and over 169 589 568 828 403 24 Excess winter deaths (three year) 50 12.5 16.5 32.1 50 -3.0 25 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.7 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106		19 Drug misuse	469	4.2	8.6	26.3			0.8
23 Hip fractures in people aged 65 and over 169 589 568 828 403 24 Excess winter deaths (three year) 50 12.5 16.5 32.1 50 -3.0 25 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.7 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106		20 Recorded diabetes	8,097	5.8	6.0	8.7		0	3.5
23 Hip fractures in people aged 65 and over 169 589 568 828		21 Incidence of TB	6	3.5	15.1	112.3			0.0
24 Excess winter deaths (three year) 50 12.5 16.5 32.1 -3.0 25 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 86.6 27 Infant mortality 9 4.5 4.1 7.5 0.7 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106		22 Acute sexually transmitted infections	1,032	607	804	3,210			162
25 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 82.9 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 27 Infant mortality 9 4.5 4.1 7.5 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 31 Under 75 mortality rate: cancer 198 137 146 213		23 Hip fractures in people aged 65 and over	169	589	568	828			403
25 Life expectancy at birth (Male) n/a 80.9 79.2 74.0 26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 27 Infant mortality 9 4.5 4.1 7.5 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 31 Under 75 mortality rate: cancer 198 137 146 213 11.3	e expectancy and causes of death	24 Excess winter deaths (three year)	50	12.5	16.5	32.1			-3.0
26 Life expectancy at birth (Female) n/a 84.4 83.0 79.5 27 Infant mortality 9 4.5 4.1 7.5 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 31 Under 75 mortality rate: cancer 198 137 146 213 28 Killed and seriously injured on roads 82 48.4 40.5 116.3		25 Life expectancy at birth (Male)	n/a	80.9	79.2	74.0			82.9
27 Infant mortality 9 4.5 4.1 7.5 0.7 28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106 32 Killed and seriously injured on roads 82 48.4 40.5 116.3		26 Life expectancy at birth (Female)	n/a	84.4	83.0	79.5			86.6
28 Smoking related deaths 215 248 292 480 172 29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106 32 Killed and seriously injured on roads 82 48.4 40.5 116.3 11.3		27 Infant mortality	9	4.5	4.1	7.5			0.7
29 Suicide rate 11 6.4 8.5 30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 37.4 31 Under 75 mortality rate: cancer 198 137 146 213 106 32 Killed and seriously injured on roads 82 48.4 40.5 116.3		28 Smoking related deaths	215	248	292	480			172
30 Under 75 mortality rate: cardiovascular 83 57.7 81.1 144.7 31.4 31.4 31.4 31.4 32.4 33.4 33.4 33.4 34.4 34.5 34.5		29 Suicide rate	11	6.4	8.5		<u> </u>		
31 Under 75 mortality rate: cancer 198 137 146 213 06 106 213 108 213 11.3 2 Killed and seriously injured on roads 82 48.4 40.5 116.3 11.3		30 Under 75 mortality rate: cardiovascular	83	57.7	81.1	144.7			37.4
32 Killed and seriously injured on roads 82 48.4 40.5 116.3		31 Under 75 mortality rate: cancer	198	137	146	213			106
	<u> </u>	32 Killed and seriously injured on roads	82	48.4	40.5	116.3			11.3

Indicator Notes

1 % people in this area living in 20% most deprived areas in England, 2010 2 % children (under 16) in families receiving means-tested benefits & low income, 2011 3 Crude rate per 1,000 households, 2012/13 4 % key stage 4, 2012/13 5 Recorded violence against the person crimes, crude rate per 1,000 population, 2012/13 6 Crude rate per 1,000 population aged 16-64, 2013 7 % of women who smoke at time of delivery, 2012/13 8 % of all mothers who breastfeed their babies in the first 48hrs after delivery, 2012/13 9 % school children in Year 6 (age 10-11), 2012/13 10 Persons under 18 admitted to hospital due to alcohol-specific conditions, crude rate per 100,000 population, 2010/11 to 2012/13 (pooled) 11 Under-18 conception rate per 1,000 females aged 15-17 (crude rate) 2012 12 % adults aged 18 and over, 2012 13 % adults calcieving at least 150 mins physical activity per week, 2012 14 % adults classified as obese, Active People Survey 2012 15 % adults classified as overweight or obese, Active People Survey 2012 16 Directly age standardised rate per 100,000 population, aged under 75, 2009-2011 17 Directly age sex standardised rate per 100,000 population, 2012/13 18 The number of admissions involving an alcohol-related primary diagnosis or an alcohol-related external cause, directly age standardised rate per 100,000 population, 2012/13 19 Estimated users of opiate and/or crack cocaine aged 15-64, crude rate per 1,000 population, 2010/11 20 % people on GP registers with a recorded diagnosis of diabetes 2012/13 21 Crude rate per 100,000 population, 2010-2012 22 Crude rate per 100,000 population, 2012/13 24 Ratio of excess winter deaths (observed winter deaths minus expected deaths based on non-winter deaths) to average non-winter deaths 1.08.09-31.07.12 25 At birth, 2010-2012 26 At birth, 2010-2012 27 Rate per 1,000 live births, 2010-2012 28 Directly age standardised rate per 100,000 population aged under 75, 2010-2012 31 Directly age standardised rate per 100,000 population aged under 75, 2010-2012 32 Rate per 100,000 popu

More information is available at www.healthprofiles.info Please send any enquiries to healthprofiles@phe.gov.uk

© Crown copyright, 2014. You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit https://www.nationalarchives.gov.uk/doc/open-government-licence/version/2/